

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2012 HARDENER

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 04.03.2021  |
| 2.0     | 12.06.2023     | 400001009176 | Date of first issue: 31.08.2015 |

Print Date 13.06.2023

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : ARALDITE® 2012 HARDENER

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Adhesives

#### 1.3 Details of the supplier of the safety data sheet

Company : Huntsman Advanced Materials (Europe) BV  
Address : Everslaan 45  
3078 Everberg  
Belgium  
Telephone : +41 61 299 20 41  
Telefax : +41 61 299 20 40  
E-mail address of person responsible for the SDS : Global\_Product\_EHS\_AdMat@huntsman.com

#### 1.4 Emergency telephone number

Emergency telephone number : EUROPE: +32 35 75 1234  
France ORFILA: +33(0)145425959  
ASIA: +65 6336-6011  
China: +86 20 39377888  
+86 532 83889090  
India: + 91 22 42 87 5333  
Australia: 1800 786 152  
New Zealand: 0800 767 437  
USA: +1 800-424-9300

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

|                                                |                                                        |
|------------------------------------------------|--------------------------------------------------------|
| Eye irritation, Category 2                     | H319: Causes serious eye irritation.                   |
| Skin sensitisation, Category 1                 | H317: May cause an allergic skin reaction.             |
| Long-term (chronic) aquatic hazard, Category 2 | H411: Toxic to aquatic life with long lasting effects. |

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2012 HARDENER

Version 2.0      Revision Date: 12.06.2023      SDS Number: 400001009176      Date of last issue: 04.03.2021  
Date of first issue: 31.08.2015

Print Date 13.06.2023

### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms :



Signal word : Warning

Hazard statements :  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements :  
**Prevention:**  
P261 Avoid breathing mist or vapours.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ eye protection/ face protection.  
**Response:**  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P391 Collect spillage.

Hazardous components which must be listed on the label:

N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine

### 2.3 Other hazards

1) This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Hazardous components

| Chemical name                                 | CAS-No.<br>EC-No.<br>Index-No.<br>Registration number | Classification                                                                                                                                                  | Concentration<br>(% w/w) |
|-----------------------------------------------|-------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| 2,2'-[1,2-ethanediylbis(oxy)]bis(ethanethiol) | 14970-87-7<br>239-044-2                               | Acute Tox. 3; H301<br>Aquatic Acute 1; H400<br>Aquatic Chronic 1;<br>H410<br><br>M-Factor (Acute aquatic toxicity): 1<br>M-Factor (Chronic aquatic toxicity): 1 | >= 2.5 -<br>< 10         |

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2012 HARDENER

Version 2.0      Revision Date: 12.06.2023      SDS Number: 400001009176      Date of last issue: 04.03.2021  
Date of first issue: 31.08.2015

Print Date 13.06.2023

|                                                    |                                                            |                                                                                                                |                 |
|----------------------------------------------------|------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|-----------------|
|                                                    |                                                            | Acute toxicity estimate                                                                                        |                 |
|                                                    |                                                            | Acute oral toxicity:<br>50.005 mg/kg                                                                           |                 |
| N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine | 10563-29-8<br>234-148-4                                    | Acute Tox. 4; H302<br>Skin Corr. 1A; H314<br>Eye Dam. 1; H318<br>Skin Sens. 1B; H317                           | >= 1 - <<br>3   |
| 2,4,6-tris(dimethylaminomethyl)phenol              | 90-72-2<br>202-013-9<br>603-069-00-0<br>UK-01-6667334385-2 | Acute Tox. 4; H302<br>Skin Corr. 1C; H314<br>Eye Dam. 1; H318                                                  | >= 1 - <<br>3   |
| N,N,4-trimethylpiperazine-1-ethylamine             | 104-19-8<br>203-183-7                                      | Acute Tox. 3; H301<br>Acute Tox. 4; H312<br>Skin Corr. 1A; H314<br>Eye Dam. 1; H318<br>Aquatic Chronic 3; H412 | >= 1 - <<br>2.5 |
| n-butyl acetate                                    | 123-86-4<br>204-658-1<br>607-025-00-1                      | Flam. Liq. 3; H226<br>STOT SE 3; H336<br>(Central nervous system)<br>EUH066                                    | >= 1 - <<br>10  |

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Treat symptomatically.  
Get medical attention if symptoms occur.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing  
If potential for exposure exists refer to Section 8 for specific personal protective equipment.  
Avoid inhalation, ingestion and contact with skin and eyes.  
No action shall be taken involving any personal risk or without suitable training.  
It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.
- In case of skin contact : If on skin, rinse well with water.
- In case of eye contact : Immediately flush eye(s) with plenty of water.  
Remove contact lenses.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2012 HARDENER

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 04.03.2021  |
| 2.0     | 12.06.2023     | 400001009176 | Date of first issue: 31.08.2015 |

Print Date 13.06.2023

Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

None known.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : Exercise caution when using a high volume water jet as it may scatter and spread fire

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)

### 5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2012 HARDENER

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 04.03.2021  |
| 2.0     | 12.06.2023     | 400001009176 | Date of first issue: 31.08.2015 |

Print Date 13.06.2023

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Refer to protective measures listed in sections 7 and 8.

#### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For disposal considerations see section 13., See Section 1 for emergency contact information., For personal protection see section 8.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Advice on safe handling : Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitisation of susceptible persons.  
Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product.  
Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : When using do not eat or drink. When using do not smoke.  
Wash hands before breaks and at the end of workday.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in properly labelled containers.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2012 HARDENER

Version 2.0      Revision Date: 12.06.2023      SDS Number: 400001009176      Date of last issue: 04.03.2021  
Date of first issue: 31.08.2015

Print Date 13.06.2023

Advice on common storage : For incompatible materials please refer to Section 10 of this SDS.

Further information on storage stability : Stable under normal conditions.

Recommended storage temperature : 2 - 40 °C

### 7.3 Specific end use(s)

Specific use(s) : No data available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

| Components          | CAS-No.    | Value type (Form of exposure) | Control parameters               | Basis            |
|---------------------|------------|-------------------------------|----------------------------------|------------------|
| n-butyl acetate     | 123-86-4   | TWA                           | 150 ppm<br>724 mg/m <sup>3</sup> | GB EH40          |
|                     |            | STEL                          | 200 ppm<br>966 mg/m <sup>3</sup> | GB EH40          |
|                     |            | STEL                          | 150 ppm<br>723 mg/m <sup>3</sup> | 2019/1831/E<br>U |
| Further information | Indicative |                               |                                  |                  |
|                     |            | TWA                           | 50 ppm<br>241 mg/m <sup>3</sup>  | 2019/1831/E<br>U |
| Further information | Indicative |                               |                                  |                  |

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

| Substance name                                     | End Use   | Exposure routes | Potential health effects   | Value                  |
|----------------------------------------------------|-----------|-----------------|----------------------------|------------------------|
| N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine | Workers   | Inhalation      | Long-term systemic effects | 3.7 mg/m <sup>3</sup>  |
|                                                    | Workers   | Inhalation      | Acute systemic effects     | 7.5 mg/m <sup>3</sup>  |
|                                                    | Workers   | Inhalation      | Long-term local effects    | 3.7 mg/m <sup>3</sup>  |
|                                                    | Workers   | Inhalation      | Acute local effects        | 7.5 mg/m <sup>3</sup>  |
|                                                    | Workers   | Dermal          | Long-term systemic effects | 0.67 mg/kg             |
|                                                    | Consumers | Inhalation      | Long-term systemic effects | 0.65 mg/m <sup>3</sup> |
|                                                    | Consumers | Inhalation      | Long-term local effects    | 0.65 mg/m <sup>3</sup> |
|                                                    | Consumers | Oral            | Long-term systemic effects | 0.2 mg/kg              |
| N,N,4-trimethylpiperazine-1-                       | Workers   | Inhalation      | Long-term systemic effects | 0.59 mg/m <sup>3</sup> |

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2012 HARDENER

Version  
2.0

Revision Date:  
12.06.2023

SDS Number:  
400001009176

Date of last issue: 04.03.2021  
Date of first issue: 31.08.2015

Print Date 13.06.2023

|                                       |           |            |                            |             |
|---------------------------------------|-----------|------------|----------------------------|-------------|
| ethylamine                            |           |            |                            |             |
|                                       | Workers   | Dermal     | Long-term systemic effects | 0.167 mg/kg |
| 2,4,6-tris(dimethylaminomethyl)phenol | Workers   | Inhalation | Long-term systemic effects | 0.53 mg/m3  |
|                                       | Workers   | Inhalation | Acute systemic effects     | 2.1 mg/m3   |
|                                       | Workers   | Dermal     | Long-term systemic effects | 0.150 mg/kg |
|                                       | Workers   | Dermal     | Acute systemic effects     | 0.600 mg/kg |
|                                       | Consumers | Inhalation | Long-term systemic effects | 0.130 mg/m3 |
|                                       | Consumers | Inhalation | Acute systemic effects     | 0.130 mg/m3 |
|                                       | Consumers | Dermal     | Long-term systemic effects | 0.075 mg/kg |
|                                       | Consumers | Dermal     | Acute systemic effects     | 0.075 mg/kg |
|                                       | Consumers | Oral       | Long-term systemic effects | 0.075 mg/kg |

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

| Substance name                                     | Environmental Compartment  | Value                          |
|----------------------------------------------------|----------------------------|--------------------------------|
| 2,4,6-tris(dimethylaminomethyl)phenol              | Fresh water                | 0.046 mg/l                     |
|                                                    | Marine water               | 0.005 mg/l                     |
|                                                    | Remarks:Assessment Factors |                                |
|                                                    | Sewage treatment plant     | 0.262 mg/l                     |
|                                                    | Remarks:Assessment Factors |                                |
|                                                    | Freshwater - intermittent  | 0.46 mg/l                      |
| N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine | Soil                       | 0.025 mg/kg                    |
|                                                    | Fresh water                | 9.2 µg/l                       |
|                                                    | Remarks:Assessment Factors |                                |
|                                                    | Marine water               | 0.92 µg/l                      |
|                                                    | Remarks:Assessment Factors |                                |
|                                                    | Freshwater - intermittent  | 92 µg/l                        |
| N,N,4-trimethylpiperazine-1-ethylamine             | Remarks:Assessment Factors |                                |
|                                                    | Sewage treatment plant     | 18.1 mg/l                      |
|                                                    | Remarks:Assessment Factors |                                |
|                                                    | Fresh water sediment       | 0.0336 mg/kg dry weight (d.w.) |
|                                                    | Marine sediment            | 0.0034 mg/kg dry weight (d.w.) |
|                                                    | Soil                       | 0.0013 mg/kg dry weight (d.w.) |
| N,N,4-trimethylpiperazine-1-ethylamine             | Fresh water                | 0.029 mg/l                     |
|                                                    | Marine water               | 0.0029 mg/l                    |
|                                                    | Fresh water sediment       | 0.118 mg/kg dry weight (d.w.)  |
|                                                    | Marine sediment            | 0.012 mg/kg dry                |

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2012 HARDENER

Version 2.0      Revision Date: 12.06.2023      SDS Number: 400001009176      Date of last issue: 04.03.2021  
Date of first issue: 31.08.2015

Print Date 13.06.2023

|  |                        |                                |
|--|------------------------|--------------------------------|
|  |                        | weight (d.w.)                  |
|  | Sewage treatment plant | 100 mg/l                       |
|  | Soil                   | 0.0066 mg/kg dry weight (d.w.) |

### 8.2 Exposure controls

#### Personal protective equipment

Eye/face protection : Eye wash bottle with pure water  
Tightly fitting safety goggles  
Wear face-shield and protective suit for abnormal processing problems.

Hand protection

Material : butyl-rubber

Material : Ethyl Vinyl Alcohol Laminate (EVAL)

Break through time : > 8 h

Material : Nitrile rubber

Material : Neoprene gloves

Break through time : 10 - 480 min

Remarks : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Equipment should conform to EN 14387

Filter type : Organic vapour type (A)

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : light yellow

Odour : unpleasant

Odour Threshold : No data is available on the product itself.

pH : substance/mixture is non-soluble (in water)

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2012 HARDENER

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 04.03.2021  |
| 2.0     | 12.06.2023     | 400001009176 | Date of first issue: 31.08.2015 |

Print Date 13.06.2023

|                                                  |                                                                                                     |
|--------------------------------------------------|-----------------------------------------------------------------------------------------------------|
| Melting point/freezing point                     | : No data is available on the product itself.                                                       |
| Boiling point                                    | : > 200 °C                                                                                          |
| Flash point                                      | : > 100 °C<br>Method: Pensky-Martens closed cup, closed cup<br>102 °C<br>Method: Cleveland open cup |
| Flammability (solid, gas)                        | : No data is available on the product itself.                                                       |
| Upper explosion limit / Upper flammability limit | : No data is available on the product itself.                                                       |
| Lower explosion limit / Lower flammability limit | : No data is available on the product itself.                                                       |
| Vapour pressure                                  | : < 0.01 hPa (20 °C)                                                                                |
| Relative vapour density                          | : No data is available on the product itself.                                                       |
| Relative density                                 | : No data is available on the product itself.                                                       |
| Density                                          | : 1.165 g/cm <sup>3</sup> (25 °C)                                                                   |
| Solubility(ies)<br>Water solubility              | : practically insoluble (20 °C)                                                                     |
| Solubility in other solvents                     | : No data is available on the product itself.                                                       |
| Partition coefficient: n-octanol/water           | : No data is available on the product itself.                                                       |
| Auto-ignition temperature                        | : No data is available on the product itself.                                                       |
| Decomposition temperature                        | : > 200 °C                                                                                          |
| Viscosity<br>Viscosity, dynamic                  | : 20,000 - 40,000 mPa.s (25 °C)                                                                     |

### 9.2 Other information

No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2012 HARDENER

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 04.03.2021  |
| 2.0     | 12.06.2023     | 400001009176 | Date of first issue: 31.08.2015 |

Print Date 13.06.2023

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

### 10.4 Conditions to avoid

Conditions to avoid : None known.

### 10.5 Incompatible materials

Materials to avoid : None known.

### 10.6 Hazardous decomposition products

Hazardous decomposition products : carbon monoxide  
carbon dioxide  
Nitrogen oxides (NOx)

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

##### Product:

Acute oral toxicity : LD50 (Rat, male and female): 2,631 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat, male and female): > 4,000 mg/kg  
Method: OECD Test Guideline 402

##### Components:

#### **2,2'-[1,2-ethanediylbis(oxy)]bis(ethanethiol):**

Acute oral toxicity : LD50 (Rat, female): > 50 - 300 mg/kg  
Method: OECD Test Guideline 423

Acute toxicity estimate: 50.005 mg/kg  
Method: Calculation method

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

#### **N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:**

Acute oral toxicity : LD50 (Rat, male and female): 1,669 mg/kg  
Method: OECD Test Guideline 401

GLP: no

Assessment: The component/mixture is moderately toxic after single ingestion.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2012 HARDENER

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 04.03.2021  |
| 2.0     | 12.06.2023     | 400001009176 | Date of first issue: 31.08.2015 |

Print Date 13.06.2023

### 2,4,6-tris(dimethylaminomethyl)phenol:

Acute oral toxicity : LD50 (Rat, male and female): 2,169 mg/kg  
Method: OECD Test Guideline 401  
Assessment: The component/mixture is minimally toxic after single ingestion.

Acute dermal toxicity : LD50 (Rat, male): > 1 ml/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### N,N,4-trimethylpiperazine-1-ethylamine:

Acute oral toxicity : LD50 (Rat, female): 200 - 2,000 mg/kg  
Method: OECD Test Guideline 423  
GLP: yes  
Assessment: The component/mixture is toxic after single ingestion.

Acute dermal toxicity : LD50 (Rabbit, male): 0.51 mL/kg bw  
Assessment: The component/mixture is moderately toxic after single contact with skin.

### n-butyl acetate:

Acute oral toxicity : LD50 (Rat): > 8,800 mg/kg  
LD50 (Mouse): 7,060 mg/kg  
LD50 (Rabbit): 7,437 mg/kg  
LD50 (Guinea pig): 4,700 mg/kg  
LD50 (Rat, female): 10,760 mg/kg  
Method: OECD Test Guideline 423

Acute dermal toxicity : LD50 (Rabbit): > 17,600 mg/kg  
LD50 (Rabbit, male and female): 14,112 mg/kg

### Skin corrosion/irritation

#### Product:

Species : Rabbit  
Result : No skin irritation  
Remarks : Moderate skin irritation

#### Components:

##### 2,2'-[1,2-ethanediylbis(oxy)]bis(ethanethiol):

Species : human skin  
Method : OECD Test Guideline 439  
Result : No skin irritation

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2012 HARDENER

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 04.03.2021  |
| 2.0     | 12.06.2023     | 400001009176 | Date of first issue: 31.08.2015 |

Print Date 13.06.2023

### N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:

|            |                                                  |
|------------|--------------------------------------------------|
| Species    | : Rabbit                                         |
| Assessment | : Causes severe burns.                           |
| Method     | : OECD Test Guideline 404                        |
| Result     | : Extremely corrosive and destructive to tissue. |
| GLP        | : yes                                            |

### 2,4,6-tris(dimethylaminomethyl)phenol:

|         |                                            |
|---------|--------------------------------------------|
| Species | : Rabbit                                   |
| Method  | : OECD Test Guideline 404                  |
| Result  | : Corrosive after 1 to 4 hours of exposure |

|         |                                            |
|---------|--------------------------------------------|
| Species | : synthetic macromolecular bio-barrier     |
| Method  | : OECD Test Guideline 435                  |
| Result  | : Corrosive after 1 to 4 hours of exposure |

### N,N,4-trimethylpiperazine-1-ethylamine:

|            |                                                  |
|------------|--------------------------------------------------|
| Species    | : Rabbit                                         |
| Assessment | : Causes severe burns.                           |
| Method     | : OECD Test Guideline 404                        |
| Result     | : Extremely corrosive and destructive to tissue. |

### Serious eye damage/eye irritation

#### Product:

|         |                       |
|---------|-----------------------|
| Species | : Rabbit              |
| Result  | : Mild eye irritation |
| Remarks | : Mild eye irritation |

#### Components:

### 2,2'-[1,2-ethanediylbis(oxy)]bis(ethanethiol):

|         |                           |
|---------|---------------------------|
| Species | : Bovine cornea           |
| Method  | : OECD Test Guideline 437 |
| Result  | : No eye irritation       |

### N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:

|            |                                   |
|------------|-----------------------------------|
| Assessment | : Risk of serious damage to eyes. |
| Result     | : Risk of serious damage to eyes. |
| GLP        | : no                              |

### 2,4,6-tris(dimethylaminomethyl)phenol:

|            |                    |
|------------|--------------------|
| Species    | : Rabbit           |
| Assessment | : Corrosive        |
| Method     | : Other guidelines |
| Result     | : Corrosive        |

### N,N,4-trimethylpiperazine-1-ethylamine:

|        |             |
|--------|-------------|
| Result | : Corrosive |
|--------|-------------|

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2012 HARDENER

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 04.03.2021  |
| 2.0     | 12.06.2023     | 400001009176 | Date of first issue: 31.08.2015 |

Print Date 13.06.2023

### Respiratory or skin sensitisation

#### Components:

##### **2,2'-[1,2-ethanediylbis(oxy)]bis(ethanethiol):**

|                 |                                      |
|-----------------|--------------------------------------|
| Test Type       | : Maximisation Test                  |
| Exposure routes | : Skin                               |
| Species         | : Guinea pig                         |
| Method          | : OECD Test Guideline 406            |
| Result          | : Does not cause skin sensitisation. |

##### **N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:**

|                 |                                                                                |
|-----------------|--------------------------------------------------------------------------------|
| Test Type       | : Maximisation Test                                                            |
| Exposure routes | : Skin                                                                         |
| Species         | : Guinea pig                                                                   |
| Assessment      | : Probability or evidence of low to moderate skin sensitisation rate in humans |
| Method          | : OECD Test Guideline 406                                                      |
| Result          | : Probability or evidence of low to moderate skin sensitisation rate in humans |
| GLP             | : yes                                                                          |

##### **2,4,6-tris(dimethylaminomethyl)phenol:**

|                 |                                      |
|-----------------|--------------------------------------|
| Exposure routes | : Skin                               |
| Species         | : Guinea pig                         |
| Method          | : OECD Test Guideline 406            |
| Result          | : Does not cause skin sensitisation. |

##### **N,N,4-trimethylpiperazine-1-ethylamine:**

|        |                                                      |
|--------|------------------------------------------------------|
| Result | : Did not cause sensitisation on laboratory animals. |
|--------|------------------------------------------------------|

##### **n-butyl acetate:**

|                 |                                      |
|-----------------|--------------------------------------|
| Exposure routes | : Skin                               |
| Species         | : Guinea pig                         |
| Result          | : Does not cause skin sensitisation. |

### Germ cell mutagenicity

#### Product:

|                       |                                                             |
|-----------------------|-------------------------------------------------------------|
| Genotoxicity in vitro | : Concentration: 5000 ug/plate                              |
|                       | Metabolic activation: with and without metabolic activation |
|                       | Method: OECD Test Guideline 471                             |
|                       | Result: negative                                            |

#### Components:

##### **2,2'-[1,2-ethanediylbis(oxy)]bis(ethanethiol):**

|                       |                                                             |
|-----------------------|-------------------------------------------------------------|
| Genotoxicity in vitro | : Test Type: Ames test                                      |
|                       | Test system: Salmonella tryphimurium and E. coli            |
|                       | Metabolic activation: with and without metabolic activation |
|                       | Method: OECD Test Guideline 471                             |

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2012 HARDENER

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 04.03.2021  |
| 2.0     | 12.06.2023     | 400001009176 | Date of first issue: 31.08.2015 |

Print Date 13.06.2023

Result: negative

GLP: yes

Test Type: gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 490

Result: negative

Test system: Human lymphocytes

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 487

Result: negative

### N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:

Genotoxicity in vitro

: Test Type: Chromosome aberration test in vitro

Test system: Human lymphocytes

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 487

Result: negative

GLP: yes

Test Type: reverse mutation assay

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

GLP: yes

Test Type: reverse mutation assay

Test system: Salmonella typhimurium and E. coli

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

### 2,4,6-tris(dimethylaminomethyl)phenol:

Genotoxicity in vitro

: Concentration: 5000 ug/plate

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Concentration: 2500 ug/plate

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2012 HARDENER

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 04.03.2021  |
| 2.0     | 12.06.2023     | 400001009176 | Date of first issue: 31.08.2015 |

Print Date 13.06.2023

Result: negative

### **N,N,4-trimethylpiperazine-1-ethylamine:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster ovary cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative  
GLP: yes

Test Type: reverse mutation assay  
Test system: Salmonella tryphimurium and E. coli  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: yes

Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster ovary cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 473  
Result: negative  
GLP: yes

Metabolic activation: with and without metabolic activation  
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Species: Mouse (male and female)  
Cell type: Bone marrow  
Application Route: Intraperitoneal injection  
Dose: 175/350/560 mg/kg bw /day  
Result: negative  
Remarks: Information given is based on data obtained from similar substances.

### **Carcinogenicity**

#### **Components:**

#### **N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:**

Species : Mouse, male  
Application Route : Dermal  
Exposure time : 20 month(s)  
Dose : 1.25/56.3 mg/animal  
Frequency of Treatment : 3 daily  
NOAEL :  $\geq 56.3$  mg/kg body weight  
Result : negative  
Remarks : Information given is based on data obtained from similar substances.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2012 HARDENER

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 04.03.2021  |
| 2.0     | 12.06.2023     | 400001009176 | Date of first issue: 31.08.2015 |

Print Date 13.06.2023

### Reproductive toxicity

#### Components:

##### **2,2'-[1,2-ethanediylbis(oxy)]bis(ethanethiol):**

Effects on fertility : Species: Rat, male and female  
Dose: 50, 100, 150 mg/kg  
General Toxicity - Parent: NOAEL: 50 mg/kg body weight  
General Toxicity F1: NOAEL: 50 mg/kg body weight  
Method: OECD Test Guideline 421

##### **N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:**

Effects on fertility : Test Type: OECD Test Guideline 422  
Species: Rat, male and female  
Application Route: Oral  
Dose: 5, 15 and 50 mg/kg bw/d  
General Toxicity - Parent: NOAEL: 15 mg/kg body weight  
General Toxicity F1: NOAEL: 15 mg/kg body weight  
Method: OECD Test Guideline 422  
Result: Animal testing did not show any effects on fertility.  
GLP: yes

Effects on foetal development : Test Type: reproductive and developmental toxicity study  
Species: Rat, male and female  
Application Route: Oral  
Dose: 5, 15 and 50 mg/kg bw/d  
General Toxicity Maternal: NOAEL: 15 mg/kg body weight  
Developmental Toxicity: NOAEL: 15 mg/kg body weight  
Method: OECD Test Guideline 422  
Result: Not classified  
GLP: yes  
Remarks: Information given is based on data obtained from similar substances.

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

##### **2,4,6-tris(dimethylaminomethyl)phenol:**

Effects on fertility : Species: Rat, male and female  
Application Route: Oral  
Method: OECD Test Guideline 422  
Remarks: No significant adverse effects were reported

##### **N,N,4-trimethylpiperazine-1-ethylamine:**

Effects on fertility : Test Type: OECD Test Guideline 422  
Species: Rat, male and female  
Dose: 0, 10, 25, 50 mg/kg  
Frequency of Treatment: 7 days/week  
General Toxicity - Parent: NOAEL: 50 mg/kg body weight  
General Toxicity F1: NOAEL: 50 mg/kg body weight  
Fertility: NOAEL: 50 mg/kg body weight  
Method: OECD Test Guideline 422  
Result: negative

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2012 HARDENER

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 04.03.2021  |
| 2.0     | 12.06.2023     | 400001009176 | Date of first issue: 31.08.2015 |

Print Date 13.06.2023

### n-butyl acetate:

|                               |   |                                                                                                                                                                                                                                                                  |
|-------------------------------|---|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Effects on fertility          | : | Species: Rat, male and female<br>Fertility: NOAEC Mating/Fertility: 2,000 ppm<br>Method: OECD Test Guideline 416                                                                                                                                                 |
| Effects on foetal development | : | Species: Rat, male and female<br>Strain: Sprague-Dawley<br>Application Route: Inhalation<br>Developmental Toxicity: NOAEC Parent: 1,500 ppm<br>Method: OECD Test Guideline 414<br>Result: No effects on fertility and early embryonic development were detected. |

### STOT - single exposure

#### Components:

#### n-butyl acetate:

|                 |   |                                    |
|-----------------|---|------------------------------------|
| Exposure routes | : | Inhalation                         |
| Target Organs   | : | Narcotic effects                   |
| Assessment      | : | May cause drowsiness or dizziness. |

### STOT - repeated exposure

No data available

### Repeated dose toxicity

#### Components:

#### 2,2'-[1,2-ethanediylbis(oxy)]bis(ethanethiol):

|                   |   |                         |
|-------------------|---|-------------------------|
| Species           | : | Rat, male and female    |
| NOAEL             | : | 60 mg/kg                |
| Application Route | : | Oral                    |
| Dose              | : | 20, 60, 180 mg/kg       |
| Method            | : | OECD Test Guideline 407 |

#### N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:

|                     |   |                                      |
|---------------------|---|--------------------------------------|
| Species             | : | Rat, male and female                 |
|                     | : | 500 mg/m <sup>3</sup>                |
| Application Route   | : | Inhalation                           |
| Test atmosphere     | : | vapour                               |
| Exposure time       | : | 21 d 6 h                             |
| Number of exposures | : | 5 days/week                          |
| Dose                | : | 550 mg/m <sup>3</sup>                |
| Method              | : | Subchronic toxicity                  |
| Remarks             | : | Based on data from similar materials |

|                     |   |                                      |
|---------------------|---|--------------------------------------|
| Species             | : | Mouse, male                          |
| NOAEL               | : | >= 56.3 mg/kg/d                      |
| Application Route   | : | Skin contact                         |
| Number of exposures | : | 3 d                                  |
| Method              | : | Chronic toxicity                     |
| Remarks             | : | Based on data from similar materials |

|         |   |                      |
|---------|---|----------------------|
| Species | : | Rat, male and female |
|---------|---|----------------------|

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2012 HARDENER

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 04.03.2021  |
| 2.0     | 12.06.2023     | 400001009176 | Date of first issue: 31.08.2015 |

Print Date 13.06.2023

|                     |   |                         |
|---------------------|---|-------------------------|
| NOAEL               | : | 41 mg/kg                |
| NOAEL               | : | 1,000 mg/l, ppm         |
| Application Route   | : | oral (feed)             |
| Exposure time       | : | 20 months               |
| Number of exposures | : | 3 times/week            |
| Dose                | : | 1000/7500/15000 ppm     |
| Method              | : | OECD Test Guideline 408 |

### 2,4,6-tris(dimethylaminomethyl)phenol:

|                     |   |                      |
|---------------------|---|----------------------|
| Species             | : | Rat, male and female |
| NOEL                | : | 15 mg/kg             |
| Application Route   | : | Ingestion            |
| Exposure time       | : | 1,032 h              |
| Number of exposures | : | 7 d                  |
| Method              | : | Subacute toxicity    |

### N,N,4-trimethylpiperazine-1-ethylamine:

|                     |   |                           |
|---------------------|---|---------------------------|
| Species             | : | Rat, male and female      |
| NOAEL               | : | 50 mg/kg                  |
| Application Route   | : | Oral                      |
| Exposure time       | : | 6 - 10 weeks              |
| Number of exposures | : | 7 days/week               |
| Dose                | : | 0, 10, 25, 50mg/kg bw/day |
| Method              | : | OECD Test Guideline 422   |
| GLP                 | : | yes                       |

### n-butyl acetate:

|                   |   |                      |
|-------------------|---|----------------------|
| Species           | : | Rat, male and female |
| NOAEL             | : | 2.4 mg/l             |
| Application Route | : | Inhalation           |
| Test atmosphere   | : | vapour               |

### Aspiration toxicity

No data available

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### Experience with human exposure

No data available

### Toxicology, Metabolism, Distribution

No data available

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2012 HARDENER

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 04.03.2021  |
| 2.0     | 12.06.2023     | 400001009176 | Date of first issue: 31.08.2015 |

Print Date 13.06.2023

### Neurological effects

No data available

### Further information

No data available

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

##### **2,2'-[1,2-ethanediylbis(oxy)]bis(ethanethiol):**

|                                                     |   |                                                                                                                                                                 |
|-----------------------------------------------------|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Toxicity to fish                                    | : | LC50 (Danio rerio (zebra fish)): 5.7 mg/l<br>Exposure time: 96 h<br>Test Type: semi-static test<br>Method: OECD Test Guideline 203                              |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 0.76 mg/l<br>Exposure time: 48 h<br>Test Type: static test<br>Method: OECD Test Guideline 202                                |
| Toxicity to algae/aquatic plants                    | : | EC50 (Pseudokirchneriella subcapitata (green algae)): 3.11 mg/l<br>Exposure time: 96 h<br>Test Type: static test<br>Method: OECD Test Guideline 201<br>GLP: yes |
| M-Factor (Acute aquatic toxicity)                   | : | 1                                                                                                                                                               |
| M-Factor (Chronic aquatic toxicity)                 | : | 1                                                                                                                                                               |

##### **N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:**

|                                                     |   |                                                                                                                                                                                                                                       |
|-----------------------------------------------------|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Toxicity to fish                                    | : | LC50 (Brachydanio rerio (zebrafish)): > 100 mg/l<br>End point: mortality<br>Exposure time: 96 h<br>Test Type: static test<br>Analytical monitoring: yes<br>Test substance: Fresh water<br>Method: OECD Test Guideline 203<br>GLP: yes |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 9.2 mg/l<br>End point: Immobilization<br>Exposure time: 48 h<br>Test Type: static test<br>Analytical monitoring: no<br>Test substance: Fresh water<br>Method: OECD Test Guideline 202<br>GLP: yes  |

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2012 HARDENER

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 04.03.2021  |
| 2.0     | 12.06.2023     | 400001009176 | Date of first issue: 31.08.2015 |

Print Date 13.06.2023

Toxicity to algae/aquatic plants : ErC50 (Selenastrum capricornutum (green algae)): 21 mg/l  
Exposure time: 72 h  
Test Type: static test  
Analytical monitoring: yes  
Test substance: Fresh water  
Method: OECD Test Guideline 201  
GLP: yes

NOEC (Selenastrum capricornutum (green algae)): 5.7 mg/l  
Exposure time: 72 h  
Test Type: static test  
Analytical monitoring: yes  
Test substance: Fresh water  
Method: OECD Test Guideline 201  
GLP: yes

Toxicity to microorganisms : EC50 (Pseudomonas putida): 181 mg/l  
Exposure time: 16 h  
Test Type: static test  
Analytical monitoring: no  
Test substance: Fresh water  
Method: DIN 38 412 Part 8  
GLP: no

### 2,4,6-tris(dimethylaminomethyl)phenol:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 175 mg/l  
Exposure time: 96 h  
Test Type: static test  
Test substance: Fresh water

Toxicity to daphnia and other aquatic invertebrates : LC50 (Palaeomonetes vulgaris (Grass shrimp)): 718 mg/l  
End point: mortality  
Exposure time: 96 h  
Test Type: static test  
Analytical monitoring: no  
Test substance: Marine water

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 84 mg/l  
Exposure time: 72 h  
Test Type: static test  
Analytical monitoring: yes  
Test substance: Fresh water  
Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): 6.25 mg/l  
Exposure time: 72 h  
Test Type: static test  
Analytical monitoring: yes  
Test substance: Fresh water  
Method: OECD Test Guideline 201

### N,N,4-trimethylpiperazine-1-ethylamine:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 29 mg/l  
Exposure time: 96 h

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2012 HARDENER

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 04.03.2021  |
| 2.0     | 12.06.2023     | 400001009176 | Date of first issue: 31.08.2015 |

Print Date 13.06.2023

Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 66 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (algae)): 29 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (algae)): 3.2 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l  
Exposure time: 3 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 209  
GLP: yes

### Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

### n-butyl acetate:

Toxicity to fish : EC50 (Menidia beryllina (Silverside)): 185 mg/l  
Exposure time: 96 h

LC50 (Pimephales promelas (fathead minnow)): 18 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 : 205 mg/l  
Exposure time: 24 h

EC50 : 44 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 674.7 mg/l  
Exposure time: 72 h

Toxicity to microorganisms : IC0 : 1,200 mg/l  
Exposure time: 24 h

## 12.2 Persistence and degradability

### Components:

#### 2,2'-[1,2-ethanediylbis(oxy)]bis(ethanethiol):

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge  
Concentration: 38.2 mg/l

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2012 HARDENER

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 04.03.2021  |
| 2.0     | 12.06.2023     | 400001009176 | Date of first issue: 31.08.2015 |

Print Date 13.06.2023

Result: Not biodegradable  
Biodegradation: < 10 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301A

### N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:

Biodegradability : Test Type: aerobic  
Result: Readily biodegradable.  
Biodegradation: 100 %  
Related to: Dissolved organic carbon (DOC)  
Exposure time: 28 d  
Method: OECD Test Guideline 301A  
Test substance: Fresh water  
GLP: yes

### 2,4,6-tris(dimethylaminomethyl)phenol:

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge, non-adapted  
Concentration: 2 mg/l  
Result: Not biodegradable  
Biodegradation: 4 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D

### N,N,4-trimethylpiperazine-1-ethylamine:

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge  
Result: Not readily biodegradable.  
Biodegradation: 0 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

### n-butyl acetate:

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 98 %  
Exposure time: 28 d

## 12.3 Bioaccumulative potential

### Components:

#### N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:

Partition coefficient: n- : log Pow: -0.56 (25 °C)  
octanol/water pH: 11.6  
Method: OECD Test Guideline 107

#### 2,4,6-tris(dimethylaminomethyl)phenol:

Partition coefficient: n- : Pow: >= 0.219 (21.5 °C)  
octanol/water log Pow: -0.66 (21.5 °C)  
Method: OPPTS 830.7550

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2012 HARDENER

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 04.03.2021  |
| 2.0     | 12.06.2023     | 400001009176 | Date of first issue: 31.08.2015 |

Print Date 13.06.2023

### **N,N,4-trimethylpiperazine-1-ethylamine:**

Partition coefficient: n-octanol/water : log Pow: -0.591 (21 °C)  
pH: 9.6

### **n-butyl acetate:**

Bioaccumulation : Bioconcentration factor (BCF): 4 - 14

### **12.4 Mobility in soil**

No data available

### **12.5 Results of PBT and vPvB assessment**

#### **Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### **12.6 Endocrine disrupting properties**

#### **Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **12.7 Other adverse effects**

#### **Product:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Toxic to aquatic life with long lasting effects.

---

## **SECTION 13: Disposal considerations**

### **13.1 Waste treatment methods**

Product : Dispose of contents and container in accordance with all local, regional, national and international regulations.  
Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with chemical or used container.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

---

## **SECTION 14: Transport information**

### **14.1 UN number or ID number**

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2012 HARDENER

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 04.03.2021  |
| 2.0     | 12.06.2023     | 400001009176 | Date of first issue: 31.08.2015 |

Print Date 13.06.2023

|             |   |         |
|-------------|---|---------|
| <b>ADR</b>  | : | UN 3082 |
| <b>RID</b>  | : | UN 3082 |
| <b>IMDG</b> | : | UN 3082 |
| <b>IATA</b> | : | UN 3082 |

### 14.2 UN proper shipping name

|             |   |                                                                                         |
|-------------|---|-----------------------------------------------------------------------------------------|
| <b>ADR</b>  | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br>(TRIETHYLENEGLYCOL-DIMERCAPTANE) |
| <b>RID</b>  | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br>(TRIETHYLENEGLYCOL-DIMERCAPTANE) |
| <b>IMDG</b> | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br>(TRIETHYLENEGLYCOL-DIMERCAPTANE) |
| <b>IATA</b> | : | Environmentally hazardous substance, liquid, n.o.s.<br>(TRIETHYLENEGLYCOL-DIMERCAPTANE) |

### 14.3 Transport hazard class(es)

|             | Class | Subsidiary risks |
|-------------|-------|------------------|
| <b>ADR</b>  | :     | 9                |
| <b>RID</b>  | :     | 9                |
| <b>IMDG</b> | :     | 9                |
| <b>IATA</b> | :     | 9                |

### 14.4 Packing group

|                                      |                 |
|--------------------------------------|-----------------|
| <b>ADR</b>                           |                 |
| Packing group                        | : III           |
| Classification Code                  | : M6            |
| Hazard Identification Number         | : 90            |
| Labels                               | : 9             |
| Tunnel restriction code              | : (-)           |
| <b>RID</b>                           |                 |
| Packing group                        | : III           |
| Classification Code                  | : M6            |
| Hazard Identification Number         | : 90            |
| Labels                               | : 9             |
| <b>IMDG</b>                          |                 |
| Packing group                        | : III           |
| Labels                               | : 9             |
| EmS Code                             | : F-A, S-F      |
| <b>IATA (Cargo)</b>                  |                 |
| Packing instruction (cargo aircraft) | : 964           |
| Packing instruction (LQ)             | : Y964          |
| Packing group                        | : III           |
| Labels                               | : Miscellaneous |

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2012 HARDENER

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 04.03.2021  |
| 2.0     | 12.06.2023     | 400001009176 | Date of first issue: 31.08.2015 |

Print Date 13.06.2023

### IATA (Passenger)

|                                          |   |               |
|------------------------------------------|---|---------------|
| Packing instruction (passenger aircraft) | : | 964           |
| Packing instruction (LQ)                 | : | Y964          |
| Packing group                            | : | III           |
| Labels                                   | : | Miscellaneous |

### 14.5 Environmental hazards

#### ADR

Environmentally hazardous : yes

#### RID

Environmentally hazardous : yes

#### IMDG

Marine pollutant : yes

#### IATA (Passenger)

Environmentally hazardous : yes

#### IATA (Cargo)

Environmentally hazardous : yes

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

|                                                                                                                                            |   |                                                                                                                                                                                       |
|--------------------------------------------------------------------------------------------------------------------------------------------|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| REACH - List of substances subject to authorisation (Annex XIV)                                                                            | : | Not applicable                                                                                                                                                                        |
| REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).                                                  | : | This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).                                                                     |
| REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) | : | Conditions of restriction for the following entries should be considered:<br>Number on list 75, 3<br><br>If you intend to use this product as tattoo ink, please contact your vendor. |
| UK REACH List of restrictions (Annex 17)                                                                                                   | : | Not applicable                                                                                                                                                                        |

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2012 HARDENER

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 04.03.2021  |
| 2.0     | 12.06.2023     | 400001009176 | Date of first issue: 31.08.2015 |

Print Date 13.06.2023

UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation : Not applicable

The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain) : Not applicable

UK REACH List of substances subject to authorisation (Annex XIV) : Not applicable

GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation : Not applicable

Seveso II - Directive 2003/105/EC amending Council Directive 96/82/EC on the control of major-accident hazards involving dangerous substances : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. E2 ENVIRONMENTAL HAZARDS

### The components of this product are reported in the following inventories:

DSL : This product contains one or several components that are not on the Canadian DSL nor NDSL.

AIIC : All components are listed on the inventory, regulatory obligations/restrictions apply. Please contact your sales representative for more information before import into Australia

ENCS : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : On or in compliance with the active portion of the TSCA inventory

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2012 HARDENER

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 04.03.2021  |
| 2.0     | 12.06.2023     | 400001009176 | Date of first issue: 31.08.2015 |

Print Date 13.06.2023

### Inventories

AICS (Australia), AIIC (Australia), DSL (Canada), IECSC (China), ENCS (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (United States of America (USA))

### 15.2 Chemical safety assessment

Chemical Safety Assessments for all substances in this product are either Complete or Not applicable.

## SECTION 16: Other information

### Full text of H-Statements

|        |                                                         |
|--------|---------------------------------------------------------|
| H226   | : Flammable liquid and vapour.                          |
| H301   | : Toxic if swallowed.                                   |
| H302   | : Harmful if swallowed.                                 |
| H312   | : Harmful in contact with skin.                         |
| H314   | : Causes severe skin burns and eye damage.              |
| H317   | : May cause an allergic skin reaction.                  |
| H318   | : Causes serious eye damage.                            |
| H336   | : May cause drowsiness or dizziness.                    |
| H400   | : Very toxic to aquatic life.                           |
| H410   | : Very toxic to aquatic life with long lasting effects. |
| H412   | : Harmful to aquatic life with long lasting effects.    |
| EUH066 | : Repeated exposure may cause skin dryness or cracking. |

### Full text of other abbreviations

|                     |                                                                                                                        |
|---------------------|------------------------------------------------------------------------------------------------------------------------|
| Acute Tox.          | : Acute toxicity                                                                                                       |
| Aquatic Acute       | : Short-term (acute) aquatic hazard                                                                                    |
| Aquatic Chronic     | : Long-term (chronic) aquatic hazard                                                                                   |
| Eye Dam.            | : Serious eye damage                                                                                                   |
| Flam. Liq.          | : Flammable liquids                                                                                                    |
| Skin Corr.          | : Skin corrosion                                                                                                       |
| Skin Sens.          | : Skin sensitisation                                                                                                   |
| STOT SE             | : Specific target organ toxicity - single exposure                                                                     |
| 2019/1831/EU        | : Europe. Commission Directive 2019/1831/EU establishing a fifth list of indicative occupational exposure limit values |
| GB EH40             | : UK. EH40 WEL - Workplace Exposure Limits                                                                             |
| 2019/1831/EU / TWA  | : Limit Value - eight hours                                                                                            |
| 2019/1831/EU / STEL | : Short term exposure limit                                                                                            |
| GB EH40 / TWA       | : Long-term exposure limit (8-hour TWA reference period)                                                               |
| GB EH40 / STEL      | : Short-term exposure limit (15-minute reference period)                                                               |

### Further information

#### Classification of the mixture:

|                   |      |
|-------------------|------|
| Eye Irrit. 2      | H319 |
| Skin Sens. 1      | H317 |
| Aquatic Chronic 2 | H411 |

#### Classification procedure:

|                                     |
|-------------------------------------|
| Based on product data or assessment |
| Calculation method                  |
| Calculation method                  |

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2012 HARDENER

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 04.03.2021  |
| 2.0     | 12.06.2023     | 400001009176 | Date of first issue: 31.08.2015 |

Print Date 13.06.2023

While the information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.